

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of
The original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

THIS PAGE BLACK (30%)

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : B01J 19/00, C07H 21/00, C07K 1/04, G06K 19/06, G09F 3/00		A1	(11) International Publication Number: WO 97/15390 (43) International Publication Date: 1 May 1997 (01.05.97)
(21) International Application Number: PCT/GB96/02617		(81) Designated States: AU, CA, JP, US, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).	
(22) International Filing Date: 25 October 1996 (25.10.96)		Published <i>With international search report.</i>	
(30) Priority Data: 9521943.2 26 October 1995 (26.10.95) GB			
(71) Applicant (for all designated States except US): UNIVERSITY OF HERTFORDSHIRE [GB/GB]; Hatfield Campus, College Lane, Hatfield, Hertfordshire AL10 9AB (GB).			
Inventors; and Inventors/Applicants (for US only): KAYE, Paul, Henry [GB/GB]; 1 Coopers Close, Kimpton, Hertfordshire SG4 8QU (GB). TRACEY, Mark, Christopher [GB/GB]; 5 The Old School, Mount Pleasant, Hertford Heath, Hertfordshire SG13 7QX (GB).			
(74) Agent: COATES, Ian, Harold; Sommerville & Rushton, 45 Grosvenor Road, St Albans, Hertfordshire AL1 3AW (GB).			

(54) Title: CODED PARTICLES FOR PROCESS SEQUENCE TRACKING IN COMBINATORIAL COMPOUND LIBRARY PREPARATION

(57) Abstract

A solid support particle (3) adapted for use in Combinatorial Chemistry Techniques characterised in that the particle (3) is marked with machine readable code (4, 5, 6, 7, 8).



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

**Coded Particles for Process Sequence Tracking in
Combinatorial Compound Library Preparation**

Field of the Invention

This invention relates to particles which are individually and optionally uniquely coded with a machine readable code. One particular application is in the field of Combinatorial Compound Library (CCL) synthesis wherein many compounds are synthesised on small supporting particles or beads, and rapidly screened for desired biological, pharmacological or chemical activity. This application is given by way of illustration only and is in no way limiting. By using the code to identify and record precisely which particles have undergone which chemical reactions, the particular process sequence by which the final compound on each particle was produced may be ascertained.

Background to the Invention

In the continual quest to reduce research and development costs and to minimise the investment of resources into compounds which may ultimately be unsuitable for the desired end-use, many industries such as the pharmaceutical, agrochemical and biotechnological industries are revolutionising many of their chemical compound synthesis processes. A specific area which has had a major impact over the past five years is that of combinatorial compound libraries (CCL's), a process whereby ensembles of molecular compounds are generated simultaneously (or in a rapid sequence of processes) by combining structural elements from a set of building block molecules onto a common template or scaffold, with highly parallel processing on the entirety of its components [Gordon et al, J. Med. Chem., 1994, 37:1233-1251 and 1386-1401]. The process allows CCL's containing vast numbers of "ligands" (library compounds or elements) to be created in relatively few discrete process steps, albeit with each ligand present in minute

quantity. By exposing the library to a biological or chemical system of interest, compounds with specific, desired chemical or pharmacological activity may be expediently identified. Such activity may include for example inhibition or stimulation of an enzyme or pharmacological receptor, the catalysis of a chemical process and the like. This technology is particularly useful when used in conjunction with high throughput screens.

A principal method by which CCL's may be synthesised is based upon the use of minute beads or particles upon which the library of compounds may be produced. The underlying procedure, using sequential mixing, separation, and 10 remixing of discrete compound-carrying particles, was proposed by Furka et al [Abstr. 14th. Int. Congr. Biochem. Prague, 1988, 5:47]. The procedure typically utilises a significant number of small beads of diameter from a few tens of microns or less to a few hundreds of microns or more which act as the supporting matrices upon which compound synthesis may subsequently take place. The beads are 15 typically of crosslinked polystyrene, polyamide, sintered glass, or similar insoluble material, and possess chemical bonding sites spread throughout the volume of the beads. The procedure for handling the beads is shown schematically in Figure 1.

Typically a suspension of beads, 1, is separated into three separate parts, 2, each of which is then exposed to a specific reagent, A1, A2, or A3 which becomes 20 attached to the beads. The three suspensions of beads are then recombined within a single vessel and thoroughly mixed before being divided once again into three separate parts, each part containing a proportion of all three compound types. The large number of beads involved in the process ensures that statistically the numbers of each type of compound in each vessel are approximately equal. The three 25 suspensions are then further exposed to the same or different reagents B1, B2, or B3, and this results, for example in compounds A1B1, A2B1, and A3B1 in the first

vessel; A1B2, A2B2, and A3B2 in the second vessel; and A1B3, A2B3 and A3B3 in the third. The suspensions are then remixed in a single vessel and the process repeated. In this way, a substantial number of different compounds may be produced in a relatively small number of reaction steps. At the end of the 5 processing the identity of the compound(s) showing the desired properties may subsequently be deduced.

A difficulty with this "one compound per bead" procedure, especially for non-sequenceable ligands, is that for each discrete bead, its precise history, or more specifically the exact sequence of reagents to which it was exposed, is unknown.

10 Knowledge of this synthetic history is very useful in identifying, discovering or so-called "deconvoluting" the active compound or compounds from a combinatorial chemistry process. One method of generating this information is to follow up each synthesis step with an independent process wherein a chemical "tag" is added to all the beads in that particular vessel [Janda, Proc. Natl. Acad. Sci USA, 1994, 15: 91:10779-85]. Through a series of sequential chemical steps, the tags are built up in parallel with the ligands so that at the end of the process the sequence of operations any particular bead has gone through may be retraced by separately analysing the tag sequence. The first tags to be employed in this way were oligonucleotides and peptides [Brenner and Lerner, Proc. Natl. Acad. Sci. USA, 20 1992, 89:5181-5183; Nikolaiev et al, Peptide Res., 1993, 6:161-170; Needels et al, Proc. Natl. Acad. Sci. USA, 1993, 90:10700- 10704]. A disadvantage of this procedure is that these are generally sensitive molecules which are unlikely to be able to withstand some of the harsh reaction conditions (e.g.: strong acid, strong base etc.) necessary for the preparation of a broad variety of ligands. Another 25 disadvantage of this procedure is that they have rather limited coding capacity.

More recently a new class of comparatively inert tag molecules has been

developed in conjunction with a binary coding system wherein defined mixtures of tag components comprising a combination of haloaromatic and electrophoric moieties are used to represent particular building blocks along with their position within a sequence [Ohlemeyer et al, Proc. Natl. Acad. Sci. USA, 1993, 90:10922-10926]. However, in addition to the problems that arise from the stability associated with chemical tags other important advantages are: the overhead incurred in applying the tag at each process step; the overhead of chemically and/or analytically having to analyse the tag from each, of potentially many, beads which displays the desired activity at the end of the process sequence; and the possibility 10 of artefacts being produced within the tags or ligands by interaction between them.

The present invention, by not relying on the use of chemical tags, overcomes, or mitigates, many of the above limitations. A system has been devised for providing a desired number of particles or solid supports, each with a permanent, machine-readable code, which may be read "on-the-fly" between 15 process steps, thus allowing the process sequence, or audit trail, for each bead to be recorded. Alternatively, if the beads are separated into a multiwell container, for example a 96 well plate such as those routinely used in robotic systems for screening compounds in biological assays, the code may be read when the beads are stationary.

20 **Summary of the Invention**

According to the present invention, there is provided a solid support particle adapted for use in Combinatorial Chemistry Techniques characterised in that the particle is marked with machine readable code. For the first time it is possible to track and record a particle of support material as it proceeds through a complex 25 synthetic route involving numerous options.

Preferably the support particle comprises a first phase comprising a solid support suitable for use in Combinatorial Chemistry techniques and a second phase containing a machine readable code. This enables coded microparticle technology to be used in this context.

5 Preferably, the particle has a bi-layer structure, the first and second phases being in the form of layers superimposed one on another. The two layers are therefore bonded together.

Preferably the second phase incorporating the machine readable code is substantially encapsulated within the first phase, substantially the whole outer 10 surface of the particle thus being free for use as a chemical support. This increases the available area of the support.

In a further embodiment the two phases are mechanically linked.

Preferably the second phase takes the form of a wafer incorporating an aperture and the first phase extends through said aperture such that a portion of the 15 first phase exists on each side of the aperture, the aperture and therefore the wafer, forming a so-called waste in the first phase thus tending to cause the two phases to remain in mechanical contact.

Preferably the second phase incorporates one or more barbed or hook like protrusions adapted to engage the surface of the first phase. This can be likened to 20 a miniature version of hook and loop fastening.

Preferably the support on which chemical synthesis takes place comprises one or more of the following materials:-

porous silicates, for example controlled pore glass; polymeric resin materials for example polystyrene, poly(substituted-styrene), for example 25 poly(halomethylstyrene), poly(halostyrene), poly(acetoxy styrene); polyacrylamides, for example poly(acryloylsarcosine methyl ester); other polyesters, polyacrylates

and polymethacrylates; as well as derivatised versions of these resins, for example polystyrene which has been chloromethylated, or poly(acryloylsarcosine methyl ester) wherein the ester has been saponified and the resultant acid derivatised with another moiety of utility in CCL synthesis, as well as optionally cross-linked versions 5 of these resins.

In a particularly preferred embodiment the machine-readable code is a binary code. However, other codes of higher bases can be used, including alphanumerics, providing they are machine readable.

Preferably the code consists of one or more of the following features: pits, 10 holes, hollows, grooves or notches or any combination thereof.

In an alternative embodiment the code resides in the shape of the particle or the shape of the second phase where a second phase is present.

Preferably the machine readable code is readable optically. This enables technology and equipment from related fields to be used.

15 Preferably the particle further incorporates an orientation marker. This results in increased reliability of results by ensuring that the code is always interpreted correctly.

According to a second aspect there is provided a set of support particles consisting of particles as described above substantially each particle in the set 20 having a unique machine readable code.

In a still further aspect of the invention there is provided a Combinatorial library prepared using the above support particles, regardless of the chemical reactions or sequences used to prepare said library.

The invention also encompasses a method of building and deconvoluting a 25 Combinatorial library comprising the steps of:-

(i) providing a plurality or set of support particles of the type in question;

(ii) suspending said particles in a fluid;

(iii) dividing the fluid containing the particles into a plurality of portions, reading and recording the machine-readable codes during or after the division process in order to track the movement of specific particles into 5 respective portions;

(iv) subjecting respective portions to specific chemical reactions;

(v) recombining the respective portions;

(vi) repeating steps (iii), (iv) and (v) as necessary;

so as to create a compound library in which substantially each member of the library 10 is associated with one or more support particles with a machine readable code and tracking data is available to identify the sequence of reactions experienced by substantially each support particle.

There is therefore provided a multiplicity of chemically-inert, micrometer-sized, solid supports each labelled with a unique, permanent code which is 15 machine-readable remotely during the handling of a fluid containing the solid support, and each arranged to support and carry a sequence of compounds introduced successively through the fluid in use whereby to build up a labelled compound library. Preferably, the code is readable optically, but it is envisaged that alternative forms could be used, provided they did not interfere chemically with the 20 library compounds.

The invention encompasses a compound library which in accordance with the invention is supported on the solid supports as defined immediately above. It also provides a method of building a compound library using solid supports as defined above comprising the steps of dividing a fluid containing the solid supports 25 into portions, whilst reading the labels and tracking the movements of the solid supports into the respective portions, allowing the solid supports of each portion to

combine with and subsequently carry a different respective compound, and repeating the fluid division, tracking and combination steps at least once so as to create a compound library of which each member contains a machine-readable code which can be used with the associated tracking information to identify the 5 sequence of compound combinations and hence the specific compounds.

The present invention thus provides a method for the characterisation and deconvolution of a compound library, which method comprises (i) synthesising the library on a plurality of solid supports, substantially each solid support having an individual, machine-readable code, (ii) testing library compounds in a biological 10 assay, (iii) selecting library compounds of interest, and (iv) identifying such compounds by reference to the code on the associated solid support.

Brief Description of the Drawings

The invention will be further described, by way of example only, with reference to the accompanying drawings in which:-

15 Figure 1 illustrates diagrammatically a typical procedure for handling beads in a Combinatorial Chemical synthesis sequence;

Figure 2 illustrates typical coded particles according to a first aspect of the present invention;

20 Figure 3 illustrates cross sections of partially and fully encapsulated coded particles;

Figure 4 illustrates a code reading station;

Figures 5, 6 and 7 illustrate various particle fabrication strategies.

Description of the Preferred Embodiments

The solid support which constitutes the first aspect of the invention 25 conveniently comprises any suitable support material which is inert, that is to say it is of a chemical composition which is not affected by the rigours of library synthesis

and testing to any relevant extent. Preferred materials for the synthesis of CCL's according to the method of this invention are porous silicates, for example controlled pore glass, polymeric resin materials for example polystyrene; poly(substituted-styrene), for example poly(halomethylstyrene), poly(halostyrene), 5 poly(acetoxystyrene); polyacrylamides, for example poly(acryloylsarcosine methyl ester); other polyesters, polyacrylates and polymethacrylates; as well as derivatised versions of these resins, for example polystyrene which has been chloromethylated, or poly(acryloylsarcosine methyl ester) wherein the ester has been saponified and the resultant acid derivatised with another moiety of utility in CCL synthesis, as well 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 105 110 115 120 125 130 135 140 145 150 155 160 165 170 175 180 185 190 195 200 205 210 215 220 225 230 235 240 245 250 255 260 265 270 275 280 285 290 295 300 305 310 315 320 325 330 335 340 345 350 355 360 365 370 375 380 385 390 395 400 405 410 415 420 425 430 435 440 445 450 455 460 465 470 475 480 485 490 495 500 505 510 515 520 525 530 535 540 545 550 555 560 565 570 575 580 585 590 595 600 605 610 615 620 625 630 635 640 645 650 655 660 665 670 675 680 685 690 695 700 705 710 715 720 725 730 735 740 745 750 755 760 765 770 775 780 785 790 795 800 805 810 815 820 825 830 835 840 845 850 855 860 865 870 875 880 885 890 895 900 905 910 915 920 925 930 935 940 945 950 955 960 965 970 975 980 985 990 995 1000 1005 1010 1015 1020 1025 1030 1035 1040 1045 1050 1055 1060 1065 1070 1075 1080 1085 1090 1095 1100 1105 1110 1115 1120 1125 1130 1135 1140 1145 1150 1155 1160 1165 1170 1175 1180 1185 1190 1195 1200 1205 1210 1215 1220 1225 1230 1235 1240 1245 1250 1255 1260 1265 1270 1275 1280 1285 1290 1295 1300 1305 1310 1315 1320 1325 1330 1335 1340 1345 1350 1355 1360 1365 1370 1375 1380 1385 1390 1395 1400 1405 1410 1415 1420 1425 1430 1435 1440 1445 1450 1455 1460 1465 1470 1475 1480 1485 1490 1495 1500 1505 1510 1515 1520 1525 1530 1535 1540 1545 1550 1555 1560 1565 1570 1575 1580 1585 1590 1595 1600 1605 1610 1615 1620 1625 1630 1635 1640 1645 1650 1655 1660 1665 1670 1675 1680 1685 1690 1695 1700 1705 1710 1715 1720 1725 1730 1735 1740 1745 1750 1755 1760 1765 1770 1775 1780 1785 1790 1795 1800 1805 1810 1815 1820 1825 1830 1835 1840 1845 1850 1855 1860 1865 1870 1875 1880 1885 1890 1895 1900 1905 1910 1915 1920 1925 1930 1935 1940 1945 1950 1955 1960 1965 1970 1975 1980 1985 1990 1995 2000 2005 2010 2015 2020 2025 2030 2035 2040 2045 2050 2055 2060 2065 2070 2075 2080 2085 2090 2095 2100 2105 2110 2115 2120 2125 2130 2135 2140 2145 2150 2155 2160 2165 2170 2175 2180 2185 2190 2195 2200 2205 2210 2215 2220 2225 2230 2235 2240 2245 2250 2255 2260 2265 2270 2275 2280 2285 2290 2295 2300 2305 2310 2315 2320 2325 2330 2335 2340 2345 2350 2355 2360 2365 2370 2375 2380 2385 2390 2395 2400 2405 2410 2415 2420 2425 2430 2435 2440 2445 2450 2455 2460 2465 2470 2475 2480 2485 2490 2495 2500 2505 2510 2515 2520 2525 2530 2535 2540 2545 2550 2555 2560 2565 2570 2575 2580 2585 2590 2595 2600 2605 2610 2615 2620 2625 2630 2635 2640 2645 2650 2655 2660 2665 2670 2675 2680 2685 2690 2695 2700 2705 2710 2715 2720 2725 2730 2735 2740 2745 2750 2755 2760 2765 2770 2775 2780 2785 2790 2795 2800 2805 2810 2815 2820 2825 2830 2835 2840 2845 2850 2855 2860 2865 2870 2875 2880 2885 2890 2895 2900 2905 2910 2915 2920 2925 2930 2935 2940 2945 2950 2955 2960 2965 2970 2975 2980 2985 2990 2995 3000 3005 3010 3015 3020 3025 3030 3035 3040 3045 3050 3055 3060 3065 3070 3075 3080 3085 3090 3095 3100 3105 3110 3115 3120 3125 3130 3135 3140 3145 3150 3155 3160 3165 3170 3175 3180 3185 3190 3195 3200 3205 3210 3215 3220 3225 3230 3235 3240 3245 3250 3255 3260 3265 3270 3275 3280 3285 3290 3295 3300 3305 3310 3315 3320 3325 3330 3335 3340 3345 3350 3355 3360 3365 3370 3375 3380 3385 3390 3395 3400 3405 3410 3415 3420 3425 3430 3435 3440 3445 3450 3455 3460 3465 3470 3475 3480 3485 3490 3495 3500 3505 3510 3515 3520 3525 3530 3535 3540 3545 3550 3555 3560 3565 3570 3575 3580 3585 3590 3595 3600 3605 3610 3615 3620 3625 3630 3635 3640 3645 3650 3655 3660 3665 3670 3675 3680 3685 3690 3695 3700 3705 3710 3715 3720 3725 3730 3735 3740 3745 3750 3755 3760 3765 3770 3775 3780 3785 3790 3795 3800 3805 3810 3815 3820 3825 3830 3835 3840 3845 3850 3855 3860 3865 3870 3875 3880 3885 3890 3895 3900 3905 3910 3915 3920 3925 3930 3935 3940 3945 3950 3955 3960 3965 3970 3975 3980 3985 3990 3995 4000 4005 4010 4015 4020 4025 4030 4035 4040 4045 4050 4055 4060 4065 4070 4075 4080 4085 4090 4095 4100 4105 4110 4115 4120 4125 4130 4135 4140 4145 4150 4155 4160 4165 4170 4175 4180 4185 4190 4195 4200 4205 4210 4215 4220 4225 4230 4235 4240 4245 4250 4255 4260 4265 4270 4275 4280 4285 4290 4295 4300 4305 4310 4315 4320 4325 4330 4335 4340 4345 4350 4355 4360 4365 4370 4375 4380 4385 4390 4395 4400 4405 4410 4415 4420 4425 4430 4435 4440 4445 4450 4455 4460 4465 4470 4475 4480 4485 4490 4495 4500 4505 4510 4515 4520 4525 4530 4535 4540 4545 4550 4555 4560 4565 4570 4575 4580 4585 4590 4595 4600 4605 4610 4615 4620 4625 4630 4635 4640 4645 4650 4655 4660 4665 4670 4675 4680 4685 4690 4695 4700 4705 4710 4715 4720 4725 4730 4735 4740 4745 4750 4755 4760 4765 4770 4775 4780 4785 4790 4795 4800 4805 4810 4815 4820 4825 4830 4835 4840 4845 4850 4855 4860 4865 4870 4875 4880 4885 4890 4895 4900 4905 4910 4915 4920 4925 4930 4935 4940 4945 4950 4955 4960 4965 4970 4975 4980 4985 4990 4995 5000 5005 5010 5015 5020 5025 5030 5035 5040 5045 5050 5055 5060 5065 5070 5075 5080 5085 5090 5095 5100 5105 5110 5115 5120 5125 5130 5135 5140 5145 5150 5155 5160 5165 5170 5175 5180 5185 5190 5195 5200 5205 5210 5215 5220 5225 5230 5235 5240 5245 5250 5255 5260 5265 5270 5275 5280 5285 5290 5295 5300 5305 5310 5315 5320 5325 5330 5335 5340 5345 5350 5355 5360 5365 5370 5375 5380 5385 5390 5395 5400 5405 5410 5415 5420 5425 5430 5435 5440 5445 5450 5455 5460 5465 5470 5475 5480 5485 5490 5495 5500 5505 5510 5515 5520 5525 5530 5535 5540 5545 5550 5555 5560 5565 5570 5575 5580 5585 5590 5595 5600 5605 5610 5615 5620 5625 5630 5635 5640 5645 5650 5655 5660 5665 5670 5675 5680 5685 5690 5695 5700 5705 5710 5715 5720 5725 5730 5735 5740 5745 5750 5755 5760 5765 5770 5775 5780 5785 5790 5795 5800 5805 5810 5815 5820 5825 5830 5835 5840 5845 5850 5855 5860 5865 5870 5875 5880 5885 5890 5895 5900 5905 5910 5915 5920 5925 5930 5935 5940 5945 5950 5955 5960 5965 5970 5975 5980 5985 5990 5995 6000 6005 6010 6015 6020 6025 6030 6035 6040 6045 6050 6055 6060 6065 6070 6075 6080 6085 6090 6095 6100 6105 6110 6115 6120 6125 6130 6135 6140 6145 6150 6155 6160 6165 6170 6175 6180 6185 6190 6195 6200 6205 6210 6215 6220 6225 6230 6235 6240 6245 6250 6255 6260 6265 6270 6275 6280 6285 6290 6295 6300 6305 6310 6315 6320 6325 6330 6335 6340 6345 6350 6355 6360 6365 6370 6375 6380 6385 6390 6395 6400 6405 6410 6415 6420 6425 6430 6435 6440 6445 6450 6455 6460 6465 6470 6475 6480 6485 6490 6495 6500 6505 6510 6515 6520 6525 6530 6535 6540 6545 6550 6555 6560 6565 6570 6575 6580 6585 6590 6595 6600 6605 6610 6615 6620 6625 6630 6635 6640 6645 6650 6655 6660 6665 6670 6675 6680 6685 6690 6695 6700 6705 6710 6715 6720 6725 6730 6735 6740 6745 6750 6755 6760 6765 6770 6775 6780 6785 6790 6795 6800 6805 6810 6815 6820 6825 6830 6835 6840 6845 6850 6855 6860 6865 6870 6875 6880 6885 6890 6895 6900 6905 6910 6915 6920 6925 6930 6935 6940 6945 6950 6955 6960 6965 6970 6975 6980 6985 6990 6995 7000 7005 7010 7015 7020 7025 7030 7035 7040 7045 7050 7055 7060 7065 7070 7075 7080 7085 7090 7095 7100 7105 7110 7115 7120 7125 7130 7135 7140 7145 7150 7155 7160 7165 7170 7175 7180 7185 7190 7195 7200 7205 7210 7215 7220 7225 7230 7235 7240 7245 7250 7255 7260 7265 7270 7275 7280 7285 7290 7295 7300 7305 7310 7315 7320 7325 7330 7335 7340 7345 7350 7355 7360 7365 7370 7375 7380 7385 7390 7395 7400 7405 7410 7415 7420 7425 7430 7435 7440 7445 7450 7455 7460 7465 7470 7475 7480 7485 7490 7495 7500 7505 7510 7515 7520 7525 7530 7535 7540 7545 7550 7555 7560 7565 7570 7575 7580 7585 7590 7595 7600 7605 7610 7615 7620 7625 7630 7635 7640 7645 7650 7655 7660 7665 7670 7675 7680 7685 7690 7695 7700 7705 7710 7715 7720 7725 7730 7735 7740 7745 7750 7755 7760 7765 7770 7775 7780 7785 7790 7795 7800 7805 7810 7815 7820 7825 7830 7835 7840 7845 7850 7855 7860 7865 7870 7875 7880 7885 7890 7895 7900 7905 7910 7915 7920 7925 7930 7935 7940 7945 7950 7955 7960 7965 7970 7975 7980 7985 7990 7995 8000 8005 8010 8015 8020 8025 8030 8035 8040 8045 8050 8055 8060 8065 8070 8075 8080 8085 8090 8095 8100 8105 8110 8115 8120 8125 8130 8135 8140 8145 8150 8155 8160 8165 8170 8175 8180 8185 8190 8195 8200 8205 8210 8215 8220 8225 8230 8235 8240 8245 8250 8255 8260 8265 8270 8275 8280 8285 8290 8295 8300 8305 8310 8315 8320 8325 8330 8335 8340 8345 8350 8355 8360 8365 8370 8375 8380 8385 8390 8395 8400 8405 8410 8415 8420 8425 8430 8435 8440 8445 8450 8455 8460 8465 8470 8475 8480 8485 8490 8495 8500 8505 8510 8515 8520 8525 8530 8535 8540 8545 8550 8555 8560 8565 8570 8575 8580 8585 8590 8595 8600 8605 8610 8615 8620 8625 8630 8635 8640 8645 8650 8655 8660 8665 8670 8675 8680 8685 8690 8695 8700 8705 8710 8715 8720 8725 8730 8735 8740 8745 8750 8755 8760 8765 8770 8775 8780 8785 8790 8795 8800 8805 8810 8815 8820 8825 8830 8835 8840 8845 8850 8855 8860 8865 8870 8875 8880 8885 8890 8895 8900 8905 8910 8915 8920 8925 8930 8935 8940 8945 8950 8955 8960 8965 8970 8975 8980 8985 8990 8995 9000 9005 9010 9015 9020 9025 9030 9035 9040 9045 9050 9055 9060 9065 9070 9075 9080 9085 9090 9095 9100 9105 9110 9115 9120 9125 9130 9135 9140 9145 9150 9155 9160 9165 9170 9175 9180 9185 9190 9195 9200 9205 9210 9215 9220 9225 9230 9235 9240 9245 9250 9255 9260 9265 9270 9275 9280 9285 9290 9295 9300 9305 9310 9315 9320 9325 9330 9335 9340 9345 9350 9355 9360 9365 9370 9375 9380 9385 9390 9395 9400 9405 9410 9415 9420 9425 9430 9435 9440 9445 9450 9455 9460 9465 9470 9475 9480 9485 9490 9495 9500 9505 9510 9515 9520 9525 9530 9535 9540 9545 9550 9555 9560 9565 9570 9575 9580 9585 9590 9595 9600 9605 9610 9615 9620 9625 9630 9635 9640 9645 9650 9655 9660 9665 9670 9675 9680 9685 9690 9695 9700 9705 9710 9715 9720 9725 9730 9735 9740 9745 9750 9755 9760 9765 9770 9775 9780 9785 9790 9795 9800 9805 9810 9815 9820 9825 9830 9835 9840 9845 9850 9855 9860 9865 9870 9875 9880 9885 9890 9895 9900 9905 9910 9915 9920 9925 9930 9935 9940 9945 9950 9955 9960 9965 9970 9975 9980 9985 9990 9995 9999 10000 10005 10010 10015 10020 10025 10030 10035 10040 10045 10050 10055 10060 10065 10070 10075 10080 10085 10090 10095 100100 100105 100110 100115 100120 100125 100130 100135 100140 100145 100150 100155 100160 100165 100170 100175 100180 100185 100190 100195 100200 100205 100210 100215 100220 100225 100230 100235 100240 100245 100250 100255 100260 100265 100270 100275 100280 100285 100290 100295 100300 100305 100310 100315 100320 100325 100330 100335 100340 100345 100350 100355 100360 100365 100370 100375 100380 100385 100390 100395 100400 100405 100410 100415 100420 100425 100430 100435 100440 100445 100450 100455 100460 100465 100470 100475 100480 100485 100490 100495 100500 100505 100510 100515 100520 100525 100530 100535 100540 100545 100550 100555 100560 100565 100570 100575 100580 100585 100590 100595 100600 100605 100610 100615 100620 100625 100630 100635 100640 100645 100650 100655 100660 100665 100670 100675 100680 100685 100690 100695 100700 100705 100710 100715 100720 100725 100730 100735 100740 100745 100750 100755 100760 100765 100770 100775 100780 100785 100790 100795 100800 100805 100810 100815 100820 100825 100830 100835 100840 100845 100850 100855 100860 100865 100870 100875 100880 100885 100890 100895 100900 100905 100910 100915 100920 100925 100930 100935 100940 100945 100950 10095

Whilst it would be possible to produce microparticles of a desired solid support material or polymer using appropriate micromachining processes, and to mark these particles with identifiable codes, the physical deformation which polymeric supports frequently experience during combinatorial chemical processes, 5 coupled with the low optical opacity typical of the polymer materials employed, may hinder reading of the codes problematic.

On the other hand, alternative solid support materials, for example specially prepared porous silicon dioxide (glass) particles, which also have utility in the synthesis of combinatorial compound libraries, can, under specific growth 10 conditions, be micromachined to produce particles which can be directly encoded in a manner analogous to that described hereinbelow. However, the process for achieving such low density porous silicon dioxide that would be suitable for CCL synthesis is not presently well understood and though certainly technically feasible, such particles may not be regarded as an optimum embodiment of the invention.

15 This embodiment is illustrated in Figure 5.

Figure 5 illustrates a wafer-shaped particle 20 at least one flat surface of which includes a series of machine readable dots 21. This arrangement has the advantage that only a single solid phase is required and there is no requirement for bonding to dissimilar materials. The particle may incorporate an orientation marker 20 e.g. a corner cut off, shaped groove or the like (not shown) to facilitate accurate reading of the code.

A preferred embodiment of the invention comprises a microparticle which conveniently consists of two distinct phases, one, a solid support material for library synthesis and the other a phase containing a machine-readable code. A particularly 25 preferred embodiment of the invention encompasses a microparticle which comprises one or more of the polymeric solid support materials outlined above,

attached to, encapsulating, or otherwise permanently associated with a rigid, opaque, coded subparticle, and which combines the desired properties of both the polymeric solid support material and the coded microparticle. This principle is illustrated in Figure 6. Such individually coded particles are then useful in 5 combinatorial processes to allow the tracking of each particle through the various chemical processing steps, the particle codes being machine-read 'on-the-fly' as the particles move from one process step to another or after completion of the screening process.

By way of non-limiting examples, a description of the subparticles of the 10 second phase which constitute a further aspect of the invention is given below.

Code marks may be applied to rigid materials such as silicon, silicon dioxide, or a metal, using the process of micromachining. These materials can then be further micromachined into particles of defined size and shape. Such materials offer the additional advantage of comparative robustness and, in certain cases, 15 chemical inertness. By way of exemplification, it has been shown by Kaye et. al. in the Journal of Aerosol Science Vol. 23 [1992, Supplement 1, 201-204] that extremely uniform particles of silicon or silicon dioxide (glass) can be made using the technology of micromachining. Particles may also be manufactured from metals such as aluminium or gold, as well as polyamide or other polymeric or resin 20 materials. Preferred materials for the manufacture of subparticles are silicon and silicon dioxide. The machining technology was developed from the microelectronics industry and uses similar processes of deposition and etching to those used to make microelectronic integrated circuits. The manufacture of such particles involves typically:- the design of the required particle geometry (or geometries) 25 using computer aided design (CAD) tools; the manufacture of appropriate photolithographic masks which delineate the particle shapes; the deposit onto a

previously prepared silicon wafer substrate i.e. coated with a sacrificial layer and (typically 3, 4 or 8 inches in diameter) of a layer of, for example, silicon or silicon dioxide from which the particles will be made; the coating of this layer with a photosensitive polymer resist which, upon ultraviolet exposure through the photographic mask, defines the particle shapes; and finally the creation of the particles on the wafer substrate by removing unexposed resist and etching away the revealed inter-particle areas of silicon or silicon dioxide. The particles may then be freed from the wafer substrate by dissolution of a sacrificial layer (typically made of aluminium if the particles are silicon or silicon dioxide) which underlies the particles.

5 Subparticles can be designed to have widths from a few microns to greater than 100 microns and thicknesses up to the order of 10 microns.

10 Such is the accuracy and high resolution of the CAD and photolithographic processes which define the particle shapes, that it is possible additionally to design the subparticles, 3, (see Fig. 2) to carry marks such as etched-through holes, 4, etched pits, 5, or etched grooves, 6, which constitute a unique code, typically in 15 binary format. The subparticle outlines can also be notched, 7, to indicate a code, and orientation marks, 8, can be included to prevent code misreading. This process is the subject of a separate patent application GB-A- 2289150; filed on 25 April 1994 naming as inventors Kaye, P.R., Tracey, M.C. and Gordon, J. A. For the 20 avoidance of doubt the entire text of GB 2289150 is hereby imported by reference. This text and the associated diagrams are intended to be an integral part of this present application and the inventive concepts herein described. A wafer substrate may thus be etched by micromachining processes to yield typically a million or more particles, each, if desired, carrying a different binary code. The microscopic code 25 on the particles may be interrogated and read using appropriate microscope-based image processing systems. By way of example, a code containing just twenty

binary sites (pits, holes, or similar devices) would allow a million particles to be uniquely numbered from 1 to 1,000,000.

Figures 3a and 3b show preferred embodiments of the polymer-coated, micromachined subparticles - the microparticles of the invention. In Fig. 3a the 5 polymer coating, 9, is applied principally to one surface the upper surface of the micromachined subparticle as illustrated, 3, to give a bilayer microparticle. In Fig. 3b the subparticle, 3, is encapsulated within the polymer coating, 9, to give a cored microparticle.

A preferred, but non-limiting method of producing single-surface coated 10 microparticles is as follows. The silicon or silicon dioxide particles are etched on a silicon wafer substrate of say 4 inches diameter as described by Kaye et. al (vide supra). The particles are etched following exposure through an appropriate photolithographic mask such that each particle carries a unique binary, ternary or other code. Before the particles are released from the wafer substrate (by the 15 process described by Kaye), an additional layer of the desired polymer is applied across the entire wafer. The thickness of the layer would typically be of the order of 10 to 30 microns. The layer would be deposited in a similar way to normal photosensitive polymer photoresists which are routinely used in the microelectronics and micromachining technologies. This involves applying a thick layer of the 20 polymer (either molten polymer or a polymer thinned with appropriate solvent) to the wafer which is then spun at high speed about the axis orthogonal to its surface. The outward centrifugal flow of the polymer results in uniform thinning of the layer to the desired depth. Once hardened, the polymer layer is coated with a further photoresist layer and this is exposed through an additional photolithographic mask 25 to define discrete areas covering each of the coded micromachined particles. The unexposed resist is subsequently removed by a photoresist-specific solvent,

exposing the inter-particle areas of polymer layer which may then be removed by a suitable polymer dissolving solvent. The silicon, or silicon dioxide/polymer microparticles are finally released from the wafer by dissolution of the sacrificial aluminium layer underlying them.

5 One preferred, but non-limiting, method of producing fully polymer-coated microparticles is as follows. The coded micromachined silicon or silicon dioxide particles are freed from the wafer in the manner described by Kaye et. al. These subparticles are then suspended in a melt or solution of the polymer to be applied as a coating. The suspension is then sprayed with sufficient pressure through a fine
10 orifice to produce a droplet jet. Under the correct fluid dynamic conditions, determined by experimentation, the micromachined particles encapsulated in a layer of polymer will be ejected singly from the orifice. Upon solidification or hardening, the polymer coated, coded microparticles may be separated from the remainder by centrifugation in an aqueous suspension (the coded silicon particles
15 being of greater density than the polymer would cause the required coated particles to precipitate below the homogeneous polymer beads), or by suspension in an organic solvent which caused the polymer to swell. The coated particles, though also exhibiting polymer swelling, would be less buoyant than the homogeneous polymer particles (which float to the surface of the suspension) and would sink,
20 facilitating their removal.

A second preferred, but non-limiting method involves preformed silicon or silicon dioxide subparticles being introduced into a heterogeneous aqueous mixture of monomer precursors, for example styrene, halomethylstyrene, halostyrene, acryloylsarcosine methyl ester etc., or mixtures thereof, along with, optionally,
25 crosslinking agents as well as such polymerisation catalysts and initiators as would be known to any person skilled in the art, such that, under controlled conditions of

emulsion polymerisation, the polymer forms, encapsulates the subparticles and generates the microparticles. The microparticles are then recovered by filtration and washed copiously to remove all by-products of the polymerisation reaction.

A particularly preferred material for the production of coded subparticles is 5 silicon because of its opacity at visible wavelengths and inertness to most chemicals used in the processes of combinatorial chemistry. Particularly preferred machine readable codes carried by the subparticles are pits, holes, grooves, notches, or combinations thereof. The codes are also preferably binary in nature. It is also particularly preferred that the subparticles carry some form of micromachined 10 orientation marking, for example one or more grooves or holes, in order to render the microparticles non-symmetrical and thus to assist the code reading process.

A further embodiment of this application comprises subparticles which are derived from a non-porous, rigid, inert material such as silicate (glass) into which has been deposited, during or after production, but before association with the 15 polymeric solid support, a suitable number of individual materials which can be altered by application of an external non-chemical stimulus, for example electromagnetic radiation. By virtue of the changes imbued in them by the particular stimulus, these materials can, by suitable readout of the residual deposits, reveal the process sequences that those particles/subparticles have experienced. 20 Non-limiting examples of such materials include fluorescent and phosphorescent chemicals, which can be selectively modified by light of a specific wavelength, and also detected by a machine capable of detecting transmitted, refracted or reflected light at one or many wavelengths.

Alternatively, the material deposited within the subparticle may not be 25 modifiable. The information that such material can reveal would pertain to the very first process that the particular particle/subparticle had experienced. By way of non-

limiting example, if one or more heavy metals were to be incorporated into a glass subparticle such that each metal element or combination of metals were to be indicative of a particular building block to be added in the first stage of the combinatorial synthesis (for example, in Figure 1, copper might be the "tag" for 5 building block 'A1'), then any active or interesting ligand, as defined herein, which is associated with a bead that, upon analysis by, for example atomic absorption spectroscopy, reveals copper to be present, can be inferred to have originated from the process that involved the chemical process aimed at introducing building block A1.

10 In another embodiment of the invention, the coded microparticle may be linked to the appropriate polymer mechanically by a variety of methods. Numerous methods of fabrication of such a mechanically linked assembly are possible. In one method as illustrated in Fig 7a the polymer beads are suspended in an appropriate liquid, e.g. water or a solvent, and drawn by suction through an appropriately 15 shaped hole in the coded tag as shown. The tag is released from the silicon wafer as described previously.

In another method Fig. 7b, the coded tag is fabricated in such a way that a hook or harpoon is incorporated. Under turbulent mixing the polymer bead will become attached. In these methods it may be advantageous to soften the polymer 20 by exposure to solvent before carrying out these operations.

In a further method as illustrated in Fig 7c where the coded tag is still attached to a silicon wafer, the polymer beads may be attached to the coded tag bearing one or more hooks by mechanically pressing the beads against the tags with an appropriate flat surface. The tag is released from the silicon wafer as 25 described previously.

In the methods 7a, 7b and 7c described above a 1:1 ratio of coded tag and polymer bead results. In order to increase the surface area of polymer available for synthesis in CCL it would be possible to increase the number of polymer beads attached to a coded tag by increasing the number of holes or hooks in the devices 5 described above.

Figures 7b and 7c illustrate just two possible methods by which a support particle suitable for carrying out Combinatorial Chemistry can be mechanically linked to a coded particle. These methods are intended as illustrations only. This invention is intended to encompass all methods of mechanical fixing, be they 10 temporary or permanent.

For the first time it has been possible to give support particles of the type in question a unique code in order to follow, monitor, track and record the progress of an individual particle through a complex sequence of operations.

The strength and mechanical stability of the link between the two phases 15 may be adjusted according to the desired conditions of use.

The geometry of the coded phase will depend on the shape of the first phase, the nature of the coded information amongst other factors.

In a particularly preferred embodiment of this application, each coded microparticle possesses a unique code. By this means a CCL of, for example, a 20 million compounds can be represented by a million unique coded microparticles using a binary code of 20 binary sites, or a CCL of, for example, 100,000 elements can be represented by a million coded microparticles using a code of 20 binary sites such that each compound is represented, redundantly, ten times. The key 25 advantages of having many individually labelled, discrete solid support particles at the outset of the CCL synthesis are, amongst others:- the avoidance of having to perform extra chemical steps at each stage of the chemical process - each code or

tag is present from the outset; the avoidance of having to analyse chemically the tag from each bead of interest - a simple reading of the solid state code contained within the microparticle by a process outlined hereinbelow immediately reveals the history of that particular bead; and the avoidance of any artefacts being produced 5 within the tags or ligands by interaction between them - the code is inert and is carried by an inert material.

The process as exemplified above of assigning a unique code to each and every process path within a combinatorial chemical library synthesis, and thus by inference, each and every putative compound that is contained within that defined 10 CCL, combined with the ability easily to read that code displayed by any solid support particle both during the chemical process sequence and after a defined selection process, is a particularly important and novel aspect of this invention.

Furthermore, the combinatorial compound library may comprise any convenient number of individual members, for example tens to hundreds to 15 thousands to millions etc., of suitable compounds, for example peptides, peptoids and other oligomeric compounds (cyclic or linear), and template-based molecules, for example benzodiazepines, hydantoins, biaryls, polycyclic compounds (e.g. naphthalenes, phenothiazines, acridines, steroids etc.), carbohydrate and amino acid derivatives, dihydropyridines, benzhydryls and heterocycles (e.g.. triazines, 20 indoles etc.). The numbers quoted and the types of compounds listed are illustrative but not limiting.

The compound library preferably comprises chemical compounds of low molecular weight and potential therapeutic agents. Such compounds are for example of less than about 1000 daltons, such as less than 800, 600 or 400 25 daltons.

Combinatorial Libraries are intended for testing in a variety of assays. The purpose of any assay is to test the ability of library elements or compounds to modulate activity in a test system of interest. Particularly preferred, but in no way limiting, are biological assays, biological systems and biologicals of interest including high throughput screens. Convenient biologicals of interest include proteins such as enzymes, receptors, signalling systems, reporter genes and the like. Suitable test systems will be apparent to the scientist of ordinary skill. Any convenient number of library compounds may be tested in the biological assay.

Synthesis of the compound library on the microparticles may comprise any convenient number of individual reaction steps. Chemical libraries synthesised on a plurality of coded microparticles as hereinbefore defined are novel and represent further and independent aspects of this invention.

Furthermore, the coded microparticles as herein described form further and independent aspects of the invention. In order satisfactorily to track particles through the multi-stage processing of combinatorial chemistry, it is necessary to be able to record the code from each particle as it passes from one reaction vessel to another between process steps. Whilst this could be achieved by collecting the particles and observing them whilst stationary (using a microscope based image capture and processing system), the preferred embodiment is for the particle codes to be read on-the-fly. Alternatively, if the beads are separated into a multiwell container, for example a 96 well plate, such as used in robotic systems used for screening compounds in biological assays, the code may be read when the beads are stationary.

Figure 4 shows an embodiment of a code reading station. It comprises a capillary flow channel, 10, carrying in suspension the coded microparticles, 3, between process steps, and a reading station, 11, which incorporates a microscope

objective lens system and which is capable of acquiring an image or images of each particle as it traverses the reading station. Each image may then be processed electronically by a computing system, 13, to identify the code. The desired particle flow may be achieved by applying over-pressure to the upstream reaction vessel, by 5 manual pipetting, or by some other technique. At one point the flow passes through a transparent channel, 10, whose dimensions are such that the particles tend to align in single file as they pass through the channel. This type of particle trajectory control may be achieved simply by appropriate channel design, although the use of laminar flow focusing (commonly used in flow-cytometers to align biological cells in 10 liquid flow) would be preferred. Furthermore, by designing the particles to have a reasonably high aspect ratio of length to width (typically 5:1), the particles can be made to travel along the channel with their long axis preferentially aligned with the axis of flow, thus facilitating observation of the codes. Hence, a particularly preferred embodiment of the invention encompasses coded microparticles with a 15 suitable aspect ratio of length to width of between 3:1 and 10:1. By way of non-limiting example, a "lozenge"-shaped microparticle of 150 microns length would preferably possess a width dimension of between 15 and 50 microns, and one of 300 microns length, a width of between 30 and 100 microns.

The axial rotation of each individual particle is more difficult to control and 20 therefore the code reading station, 11, must be capable of observing the particle from several directions simultaneously. This could be achieved either by the use of mirrors at either side of the channel reflecting images to a single objective lens system, or preferably by the use of four orthogonally arranged objective lens imaging systems (see Fig.4). The image(s) of the particle may be captured via a 25 microscope objective lens system by conventional miniature charge-coupled-device

(CCD) cameras 12. Particularly preferred is monochromatic illumination from, for example, a diode laser, which may improve the contrast ratio in the acquired image.

The captured image(s) from each particle may then be processed by a dedicated computing system 13, using either conventional commercial image processing software such as Optimas (TM) or Visilog (TM), or preferably dedicated custom software which could be programmed to provide desirable speed advantages. The processing would deduce the orientation of the particle and ascertain the positions of the code marks on the particle. From this, the complete code would be determined and recorded. With currently available computer processing power, particle codes would be read at maximum rates of typically 50 to 100 per second. This rate will be dependent on the particular application and technology available. The use of two reading stations in series along a channel would allow checking of code data and minimise the possibilities of misread codes due to particle coincidences within the measurement zone.

For the encapsulated particle types, it is important that the polymer coating is sufficiently transparent for the code on the particle to be successfully read. Most polymers are translucent rather than transparent at visible wavelengths, and therefore the thickness of the coating should not be such that the code information is unreadable. Preferred polymer thicknesses are between 5 and 50 microns. Particularly preferred thicknesses are between 10 and 30 microns. By way of non-limiting example, an optically acceptable thickness of 15 microns would, when coating a silicon particle of, for example, 120 microns x 25 microns x 10 microns in size, constitute a total polymer volume equivalent to that of a 130 microns diameter solid polymer bead, and would be quite suitable for use in combinatorial chemistry.

The code information recorded at each of many reading stations arranged between the chemical process vessels would be collated on a central computer system and

be available for interrogation to ascertain the specific route each coded microparticle had taken through the reaction processes.

It will be appreciated that the methods, materials and techniques described above can be applied in other situations where it is required to monitor an individual item through a complex series of operations.

Claims

1. A solid support particle adapted for use in Combinatorial Chemistry Techniques characterised in that the particle is marked with machine readable code.

5 2. A support particle as claimed in Claim 1 wherein the support particle comprises a first phase comprising a solid support suitable for use in Combinatorial Chemistry techniques and a second phase containing a machine readable code.

3. A support particle as claimed in Claim 2 wherein the particle has a bi-layer structure, the first and second phases being in the form of layers superimposed one 10 on another.

4. A support particle as claimed in Claim 2 wherein the second phase incorporating the machine readable code is substantially encapsulated within the first phase, substantially the whole outer surface of the particle thus being free for use as a chemical support.

15 5. A support particle as claimed in Claim 2 wherein the two phases are mechanically linked.

6. A support particle according to Claim 5 wherein the second phase takes the form of a wafer incorporating an aperture and the first phase extends through said aperture such that a portion of the first phase exists on each side of the aperture, 20 the aperture and therefore the wafer, forming a so-called waste in the first phase thus tending to cause the two phases to remain in mechanical contact.

7. A support particle as claimed in Claim 5 wherein the second phase incorporates one or more barbed or hook like protrusions adapted to engage the surface of the first phase.

8. A support particle as claimed in any preceding Claim wherein the support on which chemical synthesis takes place comprises one or more of the following materials:-

porous silicates, for example controlled pore glass; polymeric resin materials for example polystyrene, poly(substituted-styrene), for example poly(halomethylstyrene), poly(halostyrene), poly(acetoxystyrene); polyacrylamides, for example poly(acryloylsarcosine methyl ester); other polyesters, polyacrylates and polymethacrylates; as well as derivatised versions of these resins, for example polystyrene which has been chloromethylated, or poly(acryloylsarcosine methyl ester) wherein the ester has been saponified and the resultant acid derivatised with another moiety of utility in CCL synthesis, as well as optionally cross-linked versions of these resins.

9. A support particle as claimed in any preceding Claim wherein the machine-readable code is a binary code.

10. A support particle as claimed in any preceding Claim wherein the code consists of one or more of the following features: pits, holes, hollows, grooves or notches or any combination thereof.

11. A support particle as claimed in any of Claims 1 - 8 wherein the code resides in the shape of the particle or the shape of the second phase where a second phase is present.

12. A support particle as claimed in any preceding Claim wherein the machine readable code is readable optically.

13. A support particle as claimed in any preceding Claim wherein the particle further incorporates an orientation marker.

14. A set of support particles consisting of particles as claimed in any preceding claim, substantially each particle in the set having a unique machine readable code.

15. A support particle substantially as herein described with reference to and as illustrated in any combination of the accompanying drawings.

16. A Combinatorial library prepared using support particles according to any preceding Claim, regardless of the chemical reactions or sequences used to 5 prepare said library.

17. A method of building and deconvoluting a Combinatorial library comprising the steps of:-

- (i) providing a plurality or set of support particles according to any of Claims 1 - 15 inclusive;
- 10 (ii) suspending said particles in a fluid;
- (iii) dividing the fluid containing the particles into a plurality of portions, reading and recording the machine readable codes during or after the division process in order to track the movement of specific particles into respective portions;
- 15 (iv) subjecting respective portions to specific chemical reactions;
- (v) recombining the respective portions;
- (vi) repeating steps (iii), (iv) and (v) as necessary;

so as to create a compound library in which each member of the library is associated with one or more support particles with a machine readable code and 20 tracking data is available to identify the sequence of reactions experienced by substantially each support particle.

18. A method for the characterisation and deconvolution of a compound library comprising the steps of:-

- 25 (i) synthesising a compound library on a plurality of solid supports, substantially each solid support having an individual, machine-readable code;

- (ii) testing said library of compounds in a biological assay;
- (iii) selecting library compounds of interest; and
- (iv) identifying such compounds by reference to the code on the associated solid support.

5 19. A set of support particles substantially as herein described with reference to and as illustrated in any combination of the accompanying drawings.

20. A Combinatorial library substantially as herein described with reference to and as illustrated in any combination of the accompanying drawings.

21. A method of building and deconvoluting a Combinatorial Chemical library
10 substantially as herein described with reference to and as illustrated in any combination of the accompanying drawings.

1/5




Fig. 1

2/5




Fig. 2

3/5




Fig. 3





Fig. 4

4/5




Particle of single porous material which incorporates code marks and within which required chemistry takes place.

Porous Si with native oxide (microfabricated)

'Rigid' polymer (dimensionally stable)

other materials

FIG. 5



Particle comprises inert coded tag bonded to or encapsulated by polymer within which chemistry takes place





FIG. 6



INTERNATIONAL SEARCH REPORT

International Application No
PCT, GB 96/02617

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 B01J19/00 C07H21/00 C07K1/04 G06K19/06 G09F3/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 B01J G06K C07H C07K G09F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO,A,93 06121 (AFFYMAX TECHNOLOGIES N.V.) 1 April 1993 see page 7, line 21 - line 33 see page 11, line 16 - page 12, line 13 see page 14, line 11 - line 18 see page 15, line 10 - line 25 see page 19, line 7 - page 20, line 35 see figure 1	1,2,5,8, 12,16,17
A P,A	--- GB,A,2 289 150 (UNIVERSITY OF HERTFORDSHIRE) 8 November 1995 cited in the application see the whole document ---	3,6,9-14 -/-

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

* Special categories of cited documents :

- *'A' document defining the general state of the art which is not considered to be of particular relevance
- *'E' earlier document but published on or after the international filing date
- *'L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *'O' document referring to an oral disclosure, use, exhibition or other means
- *'P' document published prior to the international filing date but later than the priority date claimed

- *'T' later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *'X' document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *'Y' document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- *'&' document member of the same patent family

2

Date of the actual completion of the international search

31 January 1997

Date of mailing of the international search report

11.02.97

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patendaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 cpo nl.
Fax (+31-70) 340-3016

Authorized officer

Stevnsborg, N

INTERNATIONAL SEARCH REPORT

International Application No.
PCT, GB 96/02617

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	ANGEWANDTE CHEMIE, vol. 107, no. 20, 16 October 1995, WEINHEIM, DE, pages 2476-2479, XP000617090 K.C.NICOLAOU ET AL.: "Radiofrequenz-verschlüsselte kombinatorische Chemie" see the whole document ---	1,2,8, 17,18
A	EP,A,0 196 174 (SCRIPPS CLINIC AND RESEARCH FOUNDATION) 1 October 1986 see abstract see claims; figures 1-5 ---	1
A	JOURNAL OF MEDICINAL CHEMISTRY, vol. 37, no. 19, September 1994, WASHINGTON US, pages 2985-2987, XP002023802 K. BURGESS ET AL.: "Combinatorial Technologies Involving Reiterative Division/Coupling/Recombination: Statistical Considerations" see scheme 1 ---	17,18
A	NATURE, vol. 354, no. 6348, 7 November 1991, LONDON GB, pages 82-84, XP000371736 K.S. LAM ET AL.: "A new type of synthetic peptide library for identifying ligand-binding activity" see the whole document -----	1,17,18

INTERNATIONAL SEARCH REPORT

II. International application No.
PCT/GB 96/02617

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. Claims Nos.: 15, 19-21 because they relate to subject matter not required to be searched by this Authority, namely:
Remark: see (PCT, Rule 6.2 (a))
2. Claims Nos.: because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

The additional search fees were accompanied by the applicant's protest.
 No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No
PCT/GB 96/02617

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
WO-A-9306121	01-04-93	AU-B-	669489	13-06-96
		AU-A-	2661992	27-04-93
		CA-A-	2118806	01-04-93
		EP-A-	0604552	06-07-94
GB-A-2289150	08-11-95	AU-A-	2081295	16-11-95
		CA-A-	2188386	02-11-95
		WO-A-	9529473	02-11-95
EP-A-0196174	01-10-86	US-A-	4631211	23-12-86
		AU-B-	594327	08-03-90
		AU-A-	5490486	02-10-86
		CA-A-	1242701	04-10-88
		JP-A-	61275296	05-12-86

18/11/98

PATENT ENQUIRY SYSTEM

16:09:52
PAEN01MB

Name: University of Hertfordshire ;

Opt		Date Filed
-	20812/95 PCT/GB95/00756	31/03/95
-	Coded items for labelling objects	
-	41247/97 PCT/GB97/02359	03/09/97
-	Detection of hazardous airborne fibres	
-	59966/98 PCT/GB98/00359	05/02/98
-	Targeted antioxidants	
-	58755/98 PCT/GB98/00343	04/02/98
-	Preparation of spheroids and their use in medicin or ...	
-	73184/96 696505 PCT/GB96/02617	25/10/96
-	Coded particles for process sequence tracking in ...	
-		
-		
-		

Opt = P (Print) or S (Screen) (Many may be marked at once) ? = Help

PAEN01EA V3.7 (1.1.1) XFKBVA COMMAND _____